

**Nova Scotia Statutory Declarations**


**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

|  |  |
|--|--|
| MANUFACTURERS NAME: <u>Ashcroft, Inc.</u>  |  |
| MANUFACTURERS ADDRESS: <u>250 E. MAIN ST, STRATFORD, CT 06614 USA</u>  |  |
| PLANT LOCATIONS: <u>250 E. MAIN ST, STRATFORD, CT 06614 USA</u>  |  |
| CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY  |  |
| <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p>C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p><input checked="" type="checkbox"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p> | <p>TYPE OF THE STANDARD OR CONSTRUCTION</p> <p><b>ASME</b><br/><b>B40.100-1998</b></p> <p><b>ASME</b><br/><b>B40.100a-2001</b></p> |
| SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT   |  |
|   |  |
| TYPE OF CONSTRUCTION   |  |
| <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>   |  |
| LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:  |  |
| <p><b>ATTACHMENT - GAUGE LISTING</b></p>   |  |

DECLARATION: Philip H. Reed (Signature) employed by Ashcroft, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ASMA, Inc. as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Stratford, CT USA

This 15 day of February AD 2006

Commissioner of Oaths or Notary Public: (sign) [Signature] (8/31/09)

(Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL

This space for Regulatory Authority use


This registration must be revalidated after ten (10) years from the date of accreditation.

CRN: OF8388.5 Add.2

FIDR: 1721

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



Date: April 18/06

C.R.N. OF8388.58 ADD2

Dwg. as described

Signed Lynne Perry

Part of REGULATIONS



**GAUGE LISTING**

**PROCESS / INDUSTRIAL GAUGES**

|            |   |
|------------|---|
| A4A        | PRECISION PRESSURE GAUGES   |
| DD-1       | DURADRIVE PROCESS GAUGE TYPE 1288   |
| PL-1       | <b>PLUS!</b> PERFORMANCE  |
| DU-1       | DURAGAUGE PRESSURE GAUGE  |
| DU-5       | TYPE 1259 PRESSURE GAUGE  |
| SS-1       | STAINLESS STEEL CASE GAUGES   |
| WB-1       | TYPE 1109 HIGH-PRESSURE GAUGE FOR WATERBLASTER MARKET                                   |
| MG-1       | METRIC PROCESS GAUGE  |
| IG-1       | INDUSTRIAL GAUGES   |
| SG-2       | SANITARY PRESSURE GAUGE TYPE 1032   |
| SG-4       | TYPE 1036 IN-LINE SANITARY PRESSURE GAUGE WITH<br>TYPE 1037 SANITARY INSTRUMENT FITTING |
| DG-2       | 1490/1495 DIAPHRAGM GAUGE   |
| DP-1       | DIFFERENTIAL PRESSURE GAUGES TYPES 1130/1131/1132/1133                                  |
| DD-2       | DURADRIVE TEST GAUGE TYPE 1088  |
| TG-2       | TEST GAUGES   |
| DPG-1      | TYPE 5503 DIFFERENTIAL PRESSURE GAUGE   |
| DPG-2      | TYPE 5509 DIFFERENTIAL PRESSURE GAUGE   |
| DPG-3      | TYPE 1127/1128 DIFFERENTIAL PRESSURE GAUGE  |
| G1.F5503/E | STAINLESS STEEL DIFFERENTIAL PRESSURE GAUGE MODEL F5503                                 |
| G1.F5509/E | STAINLESS STEEL DIFFERENTIAL PRESSURE GAUGE MODEL F5509 AND F6509                       |
| PG-1       | HIGH PURITY GAUGE TYPE HPXX   |
| PG-2       | STAINLESS STEEL GAUGE TYPE HPGG   |
| PG-3       | HIGH PURITY GAUGE TYPE HPXG   |
| PG-4       | HIGH PURITY GAUGE TYPE HPGG   |
| PG-5       | HIGH PURITY INDICATING SWITCH, TYPES HSXG AND HSGG                                      |
| T55-1      | T5500 <b>PLUS!</b> PRESSURE GAUGE   |
| G1.T5500/E | T5500 AND T6500   |

**COMMERCIAL INSTRUMENTS**

|          |   |
|----------|---|
| QG-4     | COMMERCIAL GAUGE QUICK GUIDE            |
| CDD-1    | DIRECT DRIVE GAUGE                      |
| CDD-2    | DIRECT DRIVE GAUGES                     |
| CG-10/21 | COMMERCIAL GAUGES TYPE 1000, 2071A      |
| CG-11    | TYPE 1001T COMMERCIAL GAUGES            |
| CG-15    | TYPE 1005 COMMERCIAL GAUGES             |
| CG-35    | TYPE 3005 STAINLESS STEEL METRIC CASE   |
| CMG-1    | MINI GAUGE                              |
| CSS-1    | TYPE 1008A STAINLESS STEEL METRIC CASE  |
| CAG-2    | AGRICULTURAL AMMONIA GAUGES             |
| CRG-2    | REFRIGERANT AMMONIA GAUGES              |
| CRG-3    | COMMERCIAL REFRIGERATION GAUGES         |
| CSG-3    | FIRE PROTECTION SPRINKLER SERVICE GAUGE |
| MED-2    | CATHETER GAUGES                         |

**HEISE**

|      |                           |
|------|---------------------------|
| HE-1 | PRECISION PRESSURE GAUGES |
|------|---------------------------|

**WEKSLER**

|       |                      |
|-------|----------------------|
| WFP-1 | FLUID POWER PRODUCTS |
|-------|----------------------|

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK NOVA SCOTIA PRINCE EDWARD ISLAND NEWFOUNDLAND AND LABRADOR  
 NUNAVUT YUKON NORTHWEST TERRITORIES

|  |   |
|--|---|
| MANUFACTURERS NAME: <u>Ashcroft GmbH</u>   |   |
| MANUFACTURERS ADDRESS: <u>Max-Planck-Str. 1, D-52499 Baesweiler, Germany</u>   |   |
| PLANT LOCATIONS: <u>Max-Planck-Str. 1, D-52499 Baesweiler, Germany</u>   |   |
| CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY  |   |
| A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers<br>B Flanges: all flanges<br>C Valves: all line valves<br>D Expansion joints, flexible connections, and hose assemblies: all types<br>E Strainers, filters, separators, and steam traps<br><input checked="" type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters<br>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs<br>H Pressure retaining components that do not fall into one of the above categories<br>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements) | TITLE OF THE STANDARD OF CONSTRUCTION<br><br><b>PED 97/23/EC<br/>and<br/>ASME B40.1</b> |
| SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT   |   |
|  |   |
| TYPE OF CONSTRUCTION<br>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br>CAST <input type="checkbox"/> OTHER <input type="checkbox"/><br>DRAWING OTHER:   |   |
| LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:<br><br><b>Attachment - Gauge Listing</b>   |   |

**DECLARATION:**

I Reif Häusler, QA Manager (see note 3) employed by Ashcroft GmbH and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standard. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by TUV CERT as being suitable for that purpose and make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer:

Declared before me at Geilenkirchen/Germany

This 14 day of March AD 2006

Commissioner of Oaths or Notary Public: (sign)

Werner Münstermann, (Affix Official seal to the right) notary public in Germany



This space for Regulatory Authority use  
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0F8388.5 Add.2  
 FID#: 1721

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Date: April 18/06  
 C.R.N. 0F8388.58 ADD.2  
 Dwg. as described  
 Signed Yvonne Perry  
 1 of 1 Part  
 REGULATION



**GAUGE LISTING**

**PROCESS / INDUSTRIAL GAUGES**

|            |   |
|------------|---|
| A4A        | PRECISION PRESSURE GAUGES   |
| DD-1       | DURADRIVE PROCESS GAUGE TYPE 1288   |
| PL-1       | <b>PLUS!</b> PERFORMANCE  |
| DU-1       | DURAGAUGE PRESSURE GAUGE  |
| DU-5       | TYPE 1259 PRESSURE GAUGE  |
| SS-1       | STAINLESS STEEL CASE GAUGES   |
| WB-1       | TYPE 1109 HIGH-PRESSURE GAUGE FOR WATERBLASTER MARKET                                   |
| MG-1       | METRIC PROCESS GAUGE  |
| IG-1       | INDUSTRIAL GAUGES   |
| SG-2       | SANITARY PRESSURE GAUGE TYPE 1032   |
| SG-4       | TYPE 1036 IN-LINE SANITARY PRESSURE GAUGE WITH<br>TYPE 1037 SANITARY INSTRUMENT FITTING |
| DG-2       | 1490/1495 DIAPHRAGM GAUGE   |
| DP-1       | DIFFERENTIAL PRESSURE GAUGES TYPES 1130/1131/1132/1133                                  |
| DD-2       | DURADRIVE TEST GAUGE TYPE 1088  |
| TG-2       | TEST GAUGES   |
| DPG-1      | TYPE 5503 DIFFERENTIAL PRESSURE GAUGE   |
| DPG-2      | TYPE 5509 DIFFERENTIAL PRESSURE GAUGE   |
| DPG-3      | TYPE 1127/1128 DIFFERENTIAL PRESSURE GAUGE  |
| G1.F5503/E | STAINLESS STEEL DIFFERENTIAL PRESSURE GAUGE MODEL F5503                                 |
| G1.F5509/E | STAINLESS STEEL DIFFERENTIAL PRESSURE GAUGE MODEL F5509 AND F6509                       |
| PG-1       | HIGH PURITY GAUGE TYPE HPXX   |
| PG-2       | STAINLESS STEEL GAUGE TYPE HPGG   |
| PG-3       | HIGH PURITY GAUGE TYPE HPXG   |
| PG-4       | HIGH PURITY GAUGE TYPE HPGG   |
| PG-5       | HIGH PURITY INDICATING SWITCH, TYPES HSXG AND HSGG                                      |
| T55-1      | T5500 <b>PLUS!</b> PRESSURE GAUGE   |
| G1.T5500/E | T5500 AND T6500   |

**COMMERCIAL INSTRUMENTS**

|          |   |
|----------|---|
| QG-4     | COMMERCIAL GAUGE QUICK GUIDE            |
| CDD-1    | DIRECT DRIVE GAUGE                      |
| CDD-2    | DIRECT DRIVE GAUGES                     |
| CG-10/21 | COMMERCIAL GAUGES TYPE 1000, 2071A      |
| CG-11    | TYPE 1001T COMMERCIAL GAUGES            |
| CG-15    | TYPE 1005 COMMERCIAL GAUGES             |
| CG-35    | TYPE 3005 STAINLESS STEEL METRIC CASE   |
| CMG-1    | MINI GAUGE                              |
| CSS-1    | TYPE 1008A STAINLESS STEEL METRIC CASE  |
| CAG-2    | AGRICULTURAL AMMONIA GAUGES             |
| CRG-2    | REFRIGERANT AMMONIA GAUGES              |
| CRG-3    | COMMERCIAL REFRIGERATION GAUGES         |
| CSG-3    | FIRE PROTECTION SPRINKLER SERVICE GAUGE |
| MED-2    | CATHETER GAUGES                         |

**HEISE**

|      |                           |
|------|---------------------------|
| HE-1 | PRECISION PRESSURE GAUGES |
|------|---------------------------|

**WEKSLER**


|       |                      |
|-------|----------------------|
| WFP-1 | FLUID POWER PRODUCTS |
|-------|----------------------|

NEW BRUNSWICK  
 NUUNAVUT

NOVA SCOTIA  
 YUKON


PRINCE EDWARD ISLAND  
 NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

|   |   |
|---|---|
| MANUFACTURERS NAME: <u>Willy Instrumentos de Medição e Controle Ltda.</u>   |   |
| MANUFACTURERS ADDRESS: <u>Rua Senador Verqueiro, 433 - 09521-320 - São Caetano do Sul - São Paulo - Brazil</u>  |   |
| PLANT LOCATIONS: <u>(Same as manufacturer's address)</u>  |   |
| CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY.<br>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers<br>B Flanges: all flanges<br>C Valves: all line valves<br>D Expansion joints, flexible connections, and hose assemblies: all types<br>E Strainers, filters, separators, and steam traps<br>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters<br>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs<br>H Pressure retaining components that do not fall into one of the above categories<br>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting ASME or ASME requirements) | TITLE OF THE STANDARD OF CONSTRUCTION<br><br>ASME B40.100-1998<br><br>ASME B40.100a-2001  |
| SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT<br><br>   | TYPE OF CONSTRUCTION<br>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br>CAST <input type="checkbox"/> OTHER <input type="checkbox"/><br>DESCRIBE OTHER: |
| LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:<br><br>ATTACHMENT - GAUGE LISTING   |   |

DECLARATION:  
 I Elio Toshivuki Fukushima (APP. FORM 2) employed by Willy Instr. Med. e Com. Ltda. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Bureau Veritas Quality International as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at São Caetano do Sul  
 This 08 day of February AD 2008  
 Commissioner of Oaths or Notary Public: (sign) [Signature]  
(Affix Official seal to the right)



This registration must be revalidated every 5 years

CRN: OF8388.5 Add.2  
 FID#: 1721

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

BOILER & PRESSURE VESSEL  
 NOVA SCOTIA  
 Date: April 18/06  
 C.R.N. OF8388.58.ADD2  
 Dwg. As described  
 Signed Juanne Perry  
 ... of ...  
 Port  
 ACT & REGULATIONS





**GAUGE LISTING**

**PROCESS / INDUSTRIAL GAUGES**

|            |   |
|------------|---|
| A4A        | PRECISION PRESSURE GAUGES   |
| DD-1       | DURADRIVE PROCESS GAUGE TYPE 1288   |
| PL-1       | <b>PLUS!</b> PERFORMANCE  |
| DU-1       | DURAGAUGE PRESSURE GAUGE  |
| DU-5       | TYPE 1259 PRESSURE GAUGE  |
| SS-1       | STAINLESS STEEL CASE GAUGES   |
| WB-1       | TYPE 1109 HIGH-PRESSURE GAUGE FOR WATERBLASTER MARKET                                   |
| MG-1       | METRIC PROCESS GAUGE  |
| IG-1       | INDUSTRIAL GAUGES   |
| SG-2       | SANITARY PRESSURE GAUGE TYPE 1032   |
| SG-4       | TYPE 1036 IN-LINE SANITARY PRESSURE GAUGE WITH<br>TYPE 1037 SANITARY INSTRUMENT FITTING |
| DG-2       | 1490/1495 DIAPHRAGM GAUGE   |
| DP-1       | DIFFERENTIAL PRESSURE GAUGES TYPES 1130/1131/1132/1133                                  |
| DD-2       | DURADRIVE TEST GAUGE TYPE 1088  |
| TG-2       | TEST GAUGES   |
| DPG-1      | TYPE 5503 DIFFERENTIAL PRESSURE GAUGE   |
| DPG-2      | TYPE 5509 DIFFERENTIAL PRESSURE GAUGE   |
| DPG-3      | TYPE 1127/1128 DIFFERENTIAL PRESSURE GAUGE  |
| G1.F5503/E | STAINLESS STEEL DIFFERENTIAL PRESSURE GAUGE MODEL F5503                                 |
| G1.F5509/E | STAINLESS STEEL DIFFERENTIAL PRESSURE GAUGE MODEL F5509 AND F6509                       |
| PG-1       | HIGH PURITY GAUGE TYPE HPXX   |
| PG-2       | STAINLESS STEEL GAUGE TYPE HPGG   |
| PG-3       | HIGH PURITY GAUGE TYPE HPXG   |
| PG-4       | HIGH PURITY GAUGE TYPE HPGG   |
| PG-5       | HIGH PURITY INDICATING SWITCH, TYPES HSXG AND HSGG                                      |
| T55-1      | T5500 <b>PLUS!</b> PRESSURE GAUGE   |
| G1.T5500/E | T5500 AND T6500   |

**COMMERCIAL INSTRUMENTS**

|          |   |
|----------|---|
| QG-4     | COMMERCIAL GAUGE QUICK GUIDE            |
| CDD-1    | DIRECT DRIVE GAUGE                      |
| CDD-2    | DIRECT DRIVE GAUGES                     |
| CG-10/21 | COMMERCIAL GAUGES TYPE 1000, 2071A      |
| CG-11    | TYPE 1001T COMMERCIAL GAUGES            |
| CG-15    | TYPE 1005 COMMERCIAL GAUGES             |
| CG-35    | TYPE 3005 STAINLESS STEEL METRIC CASE   |
| CMG-1    | MINI GAUGE                              |
| CSS-1    | TYPE 1008A STAINLESS STEEL METRIC CASE  |
| CAG-2    | AGRICULTURAL AMMONIA GAUGES             |
| CRG-2    | REFRIGERANT AMMONIA GAUGES              |
| CRG-3    | COMMERCIAL REFRIGERATION GAUGES         |
| CSG-3    | FIRE PROTECTION SPRINKLER SERVICE GAUGE |
| MED-2    | CATHETER GAUGES                         |

**HEISE**

|      |                           |
|------|---------------------------|
| HE-1 | PRECISION PRESSURE GAUGES |
|------|---------------------------|

**WEKSLER**

|       |                      |
|-------|----------------------|
| WFP-1 | FLUID POWER PRODUCTS |
|-------|----------------------|